British Journal of Pharmacology

CONTENTS

VOLUME 84 NUMBER 1 JANUARY 1985

SHORT COMMUNICATIONS

3 EGLEN, R.M. & WHITING, R.L. Determination of the muscarinic receptor subtype mediating vasodilatation

6 HARRIS, J.B. & POLLARD, S.L. Reversal of paralysis in nerve-muscle preparations isolated from animals with hereditary motor endplate disease

PAPERS

9 BRALET, J., DIDIER, J.P., MOREAU, D., OPIE, L.H., ROCHETTE, L. Effect of α-adrenoceptor antagonists (phentolamine, nicergoline and prazosin) on reperfusion arrhythmias and noradrenaline release in perfused rat heart

19 MILLER, J.A. & RICHTER, J.A. Effects of anticonvulsants *in vivo* on high affinity choline uptake *in vitro* in mouse hippocampal synaptosomes

27 AL-HUMAYYD, M. & WHITE, T.D. 5-Hydroxytryptamine releases adenosine 5'-triphosphate from nerve varicosities isolated from the myenteric plexus of guinea-pig ileum

35 FUCHS, P. & FUDER, H. The determination of presynaptic K_A values of methacholine and pilocarpine and of a presynaptic receptor reserve in the rat perfused heart

47 DAMERAU, B., ROESLER, J. & VOGT, W. Loss and recovery of sensitivity of guinea-pig isolated ileum to the spasmogenic action of the complement peptide $C5a_{desArg}$

55 DAMERAU, B., ROESLER, J. & VOGT, W. Pharmacological characterization of the slow component of deactivation of guinea-pig isolated ileum to the spasmogenic action of $C5a_{desArg}$

63 DAMERAU, B., ROESLER, J. & VOGT, W. Fast deactivation of guinea-pig isolated ileum to $C5a_{desArg}$: a possible cyclic AMP-dependent mechanism

71 BANERJEE, A.K., TUFFIN, D.P. & WALKER, J.L. Pharmacological effects of (±)-11-deoxy, 16-phenoxy-prostaglandin E_1 derivatives in the cardiovascular system

81 BRECKENRIDGE, A.M., CHOLERTON, S., HART, J.A.D., PARK, B.K. & SCOTT, A.K. A study of the relationship between the pharmacokinetics and the pharmacodynamics of the 4-hydroxycoumarin anticoagulants warfarin, difenacoum and brodifacoum in the rabbit

93 BIEGER, D. & TRIGGLE, C. Pharmacological properties of mechanical responses of the rat oesophageal muscularis mucosae to vagal and field stimulation

107 BAKER, J.R.J., BULLOCK, G.R. & WILLIAMSON, I.H.M. Autoradiographic study of the distribution of [^{3}H]- and [^{14}C]-hydrallazine in the rat

121 KUHN, D.M., WOLF, W.A. & YOUDIM, M.B.H. 5-Hydroxytryptamine release *in vivo* from a cytoplasmic pool: studies on the 5-HT behavioural syndrome in reserpinized rats

131 BOJANIC, D., JANSEN, J.D., NAHORSKI, S.R. & ZAAGSMA, J. A typical characteristics of the β-adrenoceptor mediating cyclic AMP generation and lipolysis in the rat adipocyte

139 KANE, K.A., MORCILLO-SANCHEZ, E.J., PARRATT, J.R., RODGER, I.W. & SHAHID, M. The relationship between coronary artery occlusion-induced arrhythmias and myocardial cyclic nucleotide levels in the anaesthetized rat

147 HEEPE, P. & STARKE, K. α-Adrenoceptor antagonists and the release of noradrenaline in rabbit cerebral cortex slices: support for the α-autoreceptor hypothesis

157 GRIFFITHS, N.M., HEWICK, D.S., LAMB, J.F. & STEVENSON, I.H. The influence of digoxin antibodies on digoxin disposition and effect: studies in guinea-pigs and HeLa cells

165 STONE, T.W. The activity of phosphorothioate analogues of ATP in various smooth muscle systems

175 ASHOORI, F., TAKAI, A. & TOMITA, T. The response of non-pregnant rat myometrium to oxytocin in Ca-free solution

185 WAMBEBE, C. Influence of some agents that affect 5-hydroxytryptamine metabolism and receptors on nitrazepam-induced sleep in mice

193 BÁRÁNY, E.H. Muscarinic subsensitivity without receptor change in monkey ciliary muscle

199 McGRATH, J.C., MacLENNAN, S.J. & STUART-SMITH, K. Characterization of the receptor mediating contraction of human umbilical artery by 5-hydroxytryptamine

203 BABA, K., KAWANISHI, M., SATAKE, T. & TOMITA, T. Effects of verapamil on the contractions of guinea-pig tracheal muscle induced by Ca, Sr and Ba

213 BUCKINGHAM, J.C. Two distinct corticotrophin releasing activities of vasopressin

221 SMITH, P.A. & ZIDICHOUSKI, J.A. Muscarine and luteinizing hormone releasing hormone attenuate adrenaline-induced hyperpolarization in amphibian sympathetic ganglia

227 O'DONNELL, S.R. & WANSTALL, J.C. Responses to the β_2-selective agonist procaterol of vascular and atrial preparations with different functional β-adrenoceptor populations

237 HOSOKAWA, T., HOWARD, R.B. & MAGUIRE, M.H. Conversion of angiotensin I to angiotensin II in the human foetoplacental vascular bed

243 EMMS, H. & LEWIS, G.P. The effect of synthetic ovarian hormones on an *in vivo* model of thrombosis in the rat

249 HILL, D.R. $GABA_B$ receptor modulation of adenylate cyclase activity in rat brain slices

259 BOWMAN, W.C., LAM, F.Y., RODGER, I.W. & SHAHID, M. Cyclic nucleotides and contractility of isolated soleus muscle

265 CHEUNG, D.W. An electrophysiological study of α-adrenoceptor mediated excitation-contraction coupling in the smooth muscle cells of the rat saphenous vein

VOLUME 84 NUMBER 2 FEBRUARY 1985

PAPERS

275 DEL CASTILLO, J., ESCALONA DE MOTTA, G., ETEROVIĆ, V.A. & FERCHMIN, P.A. Succinyl derivatives of N-tris (hydroxymethyl) methyl-2-aminoethane sulphonic acid: their effects on the frog neuromuscular junction

289 INOUE, T. & ITO, Y. Pre- and post-junctional actions of prostaglandin I_2, carbocyclic thromboxane A_2 and leukotriene C_4 in dog tracheal tissue

299 CEÑA, V., GARCIA, A.G., GONZALEZ-GARCIA, C. & KIRPEKAR, S.M. Ion dependence of the release of noradrenaline by tetraethylammonium and 4-aminopyridine from cat splenic slices

309 BLABER, L.C. & FRYER, A.D. The response of cat airways to histamine *in vivo* and *in vitro*

317 BULT, H., HERMAN, A.G. & RAMPART, M. Modification of endotoxin-induced haemodynamic and haematological changes in the rabbit by methylprednisolone, $F(ab')_2$ fragments and rosmarinic acid

329 BULT, H., HERMAN, A.G., LAEKEMAN, G.M. & RAMPART, M. Formation of prostanoids during intravascular complement activation in the rabbit

337 GREEN, A.R., JOHNSON, P., MOUNTFORD, J.A. & NIMGAONKAR, V.L. Some anticonvulsant drugs alter monoamine-mediated behaviour in mice in ways similar to electroconvulsive shock; implications for antidepressant therapy

347 MAGEE, D.F., NARUSE, S. & PAP, A. Comparison of the action of cholinomimetics and pentagastrin on gastric secretion in dogs

357 CAROLDI, S., JARVIS, J. & MAGOS, L. Carbon disulphide exposure affects the response of rat adrenal medulla to hypothermia and hypoglycaemia

365 DUKES, I.D. & VAUGHAN WILLIAMS, E.M. Cardiovascular effects of bevantolol, a selective β_1-adrenoceptor antagonist with a novel pharmacological profile

381 HARRISON, N.L. & SIMMONDS, M.A. Quantitative studies on some antagonists of N-methyl D-aspartate in slices of rat cerebral cortex

393 ITOH, T., KANMURA, Y., KURIYAMA, H. & SASAGURI, T. Nitroglycerine- and isoprenaline-induced vasodilatation: assessment from the actions of cyclic nucleotides

407 BROADLEY, K.J., BROOME, S. & PATON, D.M. Hypothermia-induced supersensitivity to adenosine for responses mediated via A_1-receptors but not A_2-receptors

417 ACEVES, J., MARISCAL, S., MORRISON, K.E. & YOUNG, J.M. The binding of doxepin to histamine H_1-receptors in guinea-pig and rat brain

425 MALLARKEY, G. & SMITH, G.M. A comparative study of the involvement of the prostaglandin H_2/thromboxane A_2 pathway in intravascular platelet aggregation in guinea-pigs and rats

431 BURNSTOCK, G., CUSACK, N.J. & MELDRUM, L.A. Studies on the stereoselectivity of the P_2-purinoceptor on the guinea-pig vas deferens

435 KATO, E., KOKETSU, K., KUBA, K. & KUMAMOTO, E. The mechanism of the inhibitory action of adrenaline on transmitter release in bullfrog sympathetic ganglia: independence of cyclic AMP and calcium ions

445 MARTIN, R.J. γ-Aminobutyric acid- and piperazine-activated single-channel currents from *Ascaris suum* body muscle

463 HARTLEY, M.L. & PENNEFATHER, J.N. The costo-uterine muscle of the rat contains a homogeneous population of β-adrenoceptors

469 PACIOREK, P.M., TODD, M.H. & WATERFALL, J.F. The effects of meptazinol in comparison with pentazocine, morphine and naloxone in a rat model of anaphylactic shock

477 FUDER, H & JUNG, B. Affinity and efficacy of racemic, (+)-, and (−)-methacholine in muscarinic inhibition of [^{3}H]-noradrenaline release

489 FUJIOKA, M. & SUZUKI, H. Effects of amosulalol on the electrical responses of guinea-pig vascular smooth muscle to adrenoceptor activation

499 BRIGHT, P.S., GAFFNEY, T.E., STREET, J.A. & WEBB, J.G. Depolarization-induced release of propranolol and atenolol from rat cortical synaptosomes

511 SCHWARTZ, J. & VELLY, J. Interference of sodium with [^{3}H]-nitrendipine binding to cardiac membranes

517 GARNIER, D. & ROULET, M.J. Vasoactivity of trimetazidine on guinea-pig isolated ductus arteriosus

525 AKASU, T. & KOKETSU, K. Effect of adenosine triphosphate on the sensitivity of the nicotinic acetylcholine-receptor in the bullfrog sympathetic ganglion cell

533 SAXENA, P.R. & VERDOUW, P.D. 5-Carboxamide tryptamine, a compound with high affinity for 5-hydroxytryptamine$_1$ binding sites, dilates arterioles and constricts arteriovenous anastomoses

545 ERNE, P. & PLETSCHER, A. Rapid intracellular release of calcium in human platelets by stimulation of 5-HT$_2$-receptors

551 CARLINI, C.R., GUIMARÃES, J.A. & RIBEIRO, J.M.C. Platelet release reaction and aggregation induced by canatoxin, a convulsant protein: evidence for the involvement of the platelet lipoxygenase pathway

561 BLACK, J.W., LEFF, P. & SHANKLEY, N.P. with an appendix by WOOD, J. An operational model of pharmacological agonism: the effect of E/[A] curve shape on agonist dissociation constant estimation

573 DOCHERTY, J.R. & HYLAND, L. Evidence for neuro-effector transmission through postjunctional α_2-adrenoceptors in human saphenous vein

577 ISHII, K., TAIRA, N. & YANAGISAWA, T. Differential antagonism by Bay k 8644, a dihydropyridine calcium agonist, of the negative inotropic effects of nifedipine, verapamil, diltiazem and manganese ions in canine ventricular muscle

FORTHCOMING EVENTS

VOLUME 84 NUMBER 3 MARCH 1985

PAPERS

587 COLE, O.F. & the late MARQUIS, V.O. A pharmacological analysis of the responses of the gastrointestinal smooth muscle of the bat to transmural and periarterial nerve stimulation

595 ARMSTRONG, R.A., JONES, R.L., PEESAPATI, V., WILL, S.G. & WILSON, N.H. Competitive antagonism at thromboxane receptors in human platelets

609 FINBERG J.P.M. & TAL, A. Reduced peripheral presynaptic adrenoceptor sensitivity following chronic antidepressant treatment in rats

619 BHARGAVA, K.P., GUPTA, G.P. & GUPTA, M.B. Central GABA-ergic mechanism in stress-induced gastric ulceration

625 DUNWIDDIE, T.V., FREDHOLM, B.B., JONZON, B. & SANDBERG, G. The adenosine receptor activity of EMD 28422, a purine derivative with reported actions on benzodiazepine receptors

631 SIMMONDS, M.A. & TURNER, J.P. Antagonism of inhibitory amino acids by the steroid derivative RU5135

637 COUTURE, R., CUELLO, A.C. & HENRY, J.L. Trigeminal antidromic vasodilatation and plasma extravasation in the rat: effects of acetylcholine antagonists and cholinesterase inhibitors

645 EVANS, M.H. Effects of some α-adrenoceptor antagonists on central cardio-decelerator mechanisms in the rabbit

653 BAIRD, A.W. & CUTHBERT, A.W. Changed sensitivity to antigen in a gut epithelium treated with bile salts

657 GREEN, P.G. & KITCHEN, I. Different effects of diisopropylfluorophosphate on the entry of opioids into mouse brain

663 AKAGI, H., KONISHI, S., OTSUKA, M. & YANAGISAWA, M. The role of substance P as a neurotransmitter in the reflexes of slow time courses in the neonatal rat spinal cord

675 FUJII, K., MIYAHARA, H. & SUZUKI, H. Comparison of the effects of caffeine and procaine on noradrenergic transmission in the guinea-pig mesenteric artery

685 HERZIG, S. & MOHR, K. Sodium load and high affinity ouabain binding in rat and guinea-pig cardiac tissue

689 BOLD, J.M., GARDNER, C.R. & WALKER, R.J. Central effects of nicotinamide and inosine which are not mediated through benzodiazepine receptors

697 LOIACONO, R.E., RAND, M.J. & STORY, D.F. Interaction between the inhibitory action of acetylcholine and the α-adrenoceptor autoinhibitory feedback system on release of [^{3}H]-noradrenaline from rat atria and rabbit ear artery

707 JOHNS, E.J. The influence of diltiazem and nifedipine on renal function in the rat

715 HESSE, I.F.A. & JOHNS, E.J. The role of α-adrenoceptors in the regulation of renal tubular sodium reabsorption and renin secretion in the rabbit

725 HUGLI, T.E. & MARCEAU, F. Effects of the C5a anaphylatoxin and its relationship to cyclo-oxygenase metabolites in rabbit vascular strips

735 DARIUS, H., LEFER, A.M., LEPRÁN, I. & SMITH, J.B. *In vivo* interaction of prostacyclin with an inhibitor of cyclic nucleotide phosphodiesterase, HL 725

743 GOODWIN, G.M. & GREEN, A.R. A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5-HT$_1$ and 5-HT$_2$ receptors

755 NORTHOVER, B.J. A comparison of the effects of bethanidine, meobentine and quinidine on the electrical activity of rat hearts *in vivo* and *in vitro*

765 HAYASHI, E., MAEDA, T. & SHINOZUKA, K. Adenosine and dipyridamole: actions and interactions on the contractile response of guinea-pig ileum to high frequency electrical field stimulation

773 VACCARI, A. Effects of neonatal antithyroid treatment on brain [^{3}H]-imipramine binding sites

779 BLACK, J.W., GERSKOWITCH, V.P., LEFF, P. & SHANKLEY, N.P. Pharmacological analysis of β-adrenoceptor-mediated agonism in the guinea-pig, isolated, right atrium

FORTHCOMING MEETINGS

VOLUME 84 NUMBER 4 APRIL 1985

SHORT COMMUNICATION

789 MISRA, L., PONTANI, R.B. & VADLAMANI, L. Potentiation of morphine analgesia by caffeine

PAPERS

793 ANDERSON, W.G. & KAM, S.T. Pharmacological activity of ACC-7513, a selective α-adrenoceptor and 5-hydroxytryptamine receptor blocking agent

801 DETSOULI, A., LEFORT, J. & VARGAFTIG, B.B. Histamine and leukotriene-independent guinea-pig anaphylactic shock unaccounted for by Paf-acether

811 FERRY, D.R., GLOSSMANN, H. & KAUMANN, A.J. Relationship between the stereoselective negative inotropic effects of verapamil enantiomers and their binding to putative calcium channels in human heart

825 BURNSTOCK, G. & HOYLE, C.H.V. Actions of adenine dinucleotides in the guinea-pig taenia coli: NAD acts indirectly on P_1-purinoceptors; NADP acts like a P_2-purinoceptor agonist

833 INOUE, M., MATSUO, T. & OGATA, N. Baclofen activates voltage-dependent and 4-aminopyridine sensitive K^+ conductance in guinea-pig hippocampal pyramidal cells maintained *in vitro*

843 INOUE, M., MATSUO, T. & OGATA, N. Characterization of pre- and postsynaptic actions of (−)-baclofen in the guinea-pig hippocampus *in vitro*

853 BROWN, F., CAMPBELL, W., MITCHELL, P.J. & RANDALL, K. Dopamine autoreceptors and the effects of drugs on locomotion and dopamine synthesis

861 AHMED, F., FOSTER, R.W. & SMALL, R.C. Some effects of nifedipine in guinea-pig isolated trachealis

871 POSTIUS, S., RUOFF, H.-J. & SZELENYI, I. Prostaglandin formation by isolated gastric parietal and nonparietal cells of the rat

879 FERGUSON, D.R., JOHNSON, B.I. & PRICE, N. Responses of the pig isolated renal artery to transmural electrical stimulation and drugs

883 GIOTTI, A., LUZZI, S., MAGGI, C.A., SPAGNESI, S. & ZILLETTI, L. Modulatory activity of $GABA_B$ receptors on cholinergic tone in guinea-pig distal colon

897 HUIDOBRO-TORO, J.P. & KULLAK, A. Excitatory-neurotensin receptors on the smooth muscle of the rat fundus: possible implications in gastric motility

911 RIBEIRO, J.A. & SEBASTIÃO, A.M. On the type of receptor involved in the inhibitory action of adenosine at the neuromuscular junction

919 BRADLEY, P.B., HUMPHREY, P.P.A. & WILLIAMS, R.H. Tryptamine-induced vasoconstrictor responses in rat caudal arteries are mediated predominantly via 5-hydroxytryptamine receptors

927 COTTON, R., KOSTERLITZ, H.W., PATERSON, S.J., RANCE, M.J. & TRAYNOR, J.R. The use of [^{3}H]-[D-Pen^2,D-Pen^5]enkephalin as a highly selective ligand for the δ-binding site

933 VOLUME INDEX

955 CUMULATIVE CONTENTS

FORTHCOMING MEETINGS